Shane Seroyer, MD Sports Medicine / Arthroscopy Joint Replacement

WWW.TMISportsmed.com

6 Week Interval Softball Throwing Program

Warm-up:

Jogging, jumping rope, etc to increase blood flow to the muscles; once a light sweat is developed, move to stretching.

Stretching:

Full body stretching is important for reducing the chance of injury and for increasing mobility of all parts of the body (which allows the whole body to be used to throw, rather than just the arm).

Throwing mechanics:

A crow-hop technique should be used in all phases of the interval throwing program. This technique places the arm in a mechanically sound position for throwing.

Throwing:

Warm-up throws should take place from 30-45 feet and progress to the distance indicated for the following successive phases. Progress to the next step of the program once current step is accomplished completely free of pain. Allow at least 48 hours to pass between successive steps. Each athlete progresses at different rates. There is no optimal length of this program. Once program is completed successfully, the athlete is ready to return to unrestricted overhand throwing.

WEEK 1 · 30-45' Phase	WEEK 2. 45' Phase
WEEK I 30-45' Phase	WEEK 2.45 Phase

10 throws at 30 feet

Day 1: 25 throws at 30 feet

Day 1: 10 throws at 30 feet

15 throws at 45 feet

10 throws at 30 feet Day 2: **REST**

Day 2: **REST**Day 3: 30 throws at 30 feet

Day 3: 10 throws at 30 feet
Day 4: **REST**Day 3: 10 throws at 45 feet

Day 5: 10 throws at 30 feet

10 throws at 45 feet Day 4: **REST**

Day 5: 10 throws at 30 feet 25 throws at 45 feet

10 throws at 30 feet Day 6: **REST**

Day 6: **REST**Day 7: **REST**Day 7: **REST**





Shane Seroyer, MD Sports Medicine / Arthroscopy Joint Replacement

WWW.TMISportsmed.com

WEEK 3: 60' Phase

Day 1: 10 throws at 45 feet 10 throws at 60 feet

10 throws at 45 feet

Day 2: REST

Day 3: 10 throws at 45 feet 15 throws at 60 feet

10 throws at 45 feet

Day 4: REST

Day 5: 10 throws at 45 feet 20 throws at 60 feet

10 throws at 45 feet

Day 6: **REST**

Day 7: REST

WEEK 4: 60-75' Phase

Day1: 10 throws at 45 feet

25 throws at 60 feet

10 throws at 45 feet

Day 2: **REST**

Day 3: 10 throws at 45 feet

10 throws at 60 feet 10 throws at 75 feet

10 throws at 45 feet

Day 4: **REST**

Day 5: 10 throws at 45 feet

10 throws at 60 feet 15 throws at 75 feet

10 throws at 45 feet

Day 6: **REST**

Day 7: **REST**





Shane Seroyer, MD Sports Medicine / Arthroscopy Joint Replacement

WWW.TMISportsmed.com

W	TE	K	5. 7	75_9	n,	Phase

Day 1: 10 throws at 45 feet 10 throws at 60 feet 20 throws at 75 feet 10 throws at 45 feet

Day 2: REST

Day 3: 10 throws at 45 feet 10 throws at 60 feet 25 throws at 75 feet 10 throws at 45 feet

Day 4: REST

Day 5: 10 throws at 45-60 feet 10 throws at 75 feet 10 throws at 90 feet 10 throws at 45-60 feet

Day 6: **REST**

Day 7: Light catch up to 60 feet

WEEK 6: 90' Phase

Day1: 10 throws at 45-60 feet 10 throws at 75 feet 15 throws at 90 feet 10 throws at 45-60 feet

Day 2: **REST**

Day 3: 10 throws at 45-60 feet 10 throws at 75 feet 20 throws at 90 feet 10 throws at 45-60 feet

Day 4: REST

Day 5: 10 throws at 45-60 feet 10 throws at 75 feet 25 throws at 90 feet 10 throws at 45-60 feet

Day 6: **REST**

Day 7: Light catch up to 60 feet

